

1U Vertical Server Rack Cable Management D-Ring Hook - 1.8x3.9in (4.5x10cm)

Product ID: CMHOOK1UN



The CMHOOK1UN Vertical Cable Management D-ring lets you add a 1U metal cable hook to your server rack or cabinet to provide an organized channel for your cables. This TAA compliant product adheres to the requirements of the US Federal Trade Agreements Act (TAA), allowing government GSA Schedule purchases.

Constructed of high-quality steel, the cable D-ring measures 1.8 x 3.9in (4.5 x 10cm) and offers a flexible opening for easy insertion of bundled cables. Providing strain relief for attached cables, multiple cable rings can be attached to your rack where you need them for a versatile cable management solution.

Please see our other cable management D-ring products for different size configurations: <u>1U Cable Management D-ring - 2.2 x 5.9in (5.7 x 15cm)</u> - CMHOOK1UL <u>1U Cable Management D-ring - 2.2 x 3.9in (5.7 x 10cm)</u> - CMHOOK1U

Backed by a StarTech.com 2-year warranty.

www.startech.com/nl/en 0800 0230 168



Data Sheet

Certifications, Reports and Compatibility



CE



• Use with server racks and cabinets, structured wiring closets and network distribution cabling to keep cables neat and tidy

Features

- 1.8 x 3.9in (4.5 x 10cm) Cable management D-Ring
- 1U Bracket can be mounted to any standard rack post
- TAA compliant for GSA Schedule purchases
- Flexible opening
- Sturdy steel construction



Hard-to-find made easy*

Data	Chaot
Data	Sheet

	Warranty	2 Years
Hardware	Industry Standards	EIA RS310-D
	Orientation	Vertical
	U Height	1U
Physical Characteristics	Color	Black
	Enclosure Type	Steel
	External Height	57 mm [2.2 in]
	External Width	101.3 mm [4 in]
	Internal Height	50.6 mm [2 in]
	Internal Width	92.6 mm [3.6 in]
	Product Height	102 mm [4 in]
	Product Length	45 mm [1.8 in]
	Product Weight	73 g [2.6 oz]
	Product Width	45 mm [1.8 in]
Packaging Information	Shipping (Package) Weight	87 g [3.1 oz]
What's in the Box	Included in Package	1 - 1.8x3.9in (4.5x10cm) Cable Management Hook

Product appearance and specifications are subject to change without notice.

www.startech.com/nl/en 0800 0230 168