


12U Wall-Mount Server Rack - 12 in. Depth

Product ID: RK12WALLO



This open-frame wall-mount server rack provides 12U of storage, allowing you to save space and stay organized. The equipment rack can hold up to 198 lb. (90 kg).

Easy, hassle-free installation

The network rack is 12 in. (30.4 cm) deep, so it's perfect for smaller spaces. It's easy to assemble and features mounting holes that are spaced 16 in. apart, making it suitable for mounting on almost any wall, based on common wall-frame stud spacing. The wall-mount rack comes in a flat-pack which makes it easy to transport and reduces shipping costs.

Free up space

You can mount the open-frame rack where space is limited, such as on a server room wall, office, or above a doorway, to expand your workspace and ensure your equipment is easy to access.



Keep your equipment cool and accessible

By having an open frame the server rack provides passive cooling to equipment. Additionally, the open frame provides easy access and configurability to your equipment, allowing you to maximize productivity.

The RK12WALLO is backed by a StarTech.com 5-year warranty and free lifetime technical support.



Certifications, Reports and Compatibility



Applications

- Perfect for installing network switches out of the way and high up on a wall in a branch office, warehouse, or superstore location
- Mount audio/video broadcast or distribution components
- Ideal for small and medium businesses requiring small rack solutions dispersed throughout the organization

Features

- Save space by mounting your equipment on the wall
- Easy installation with mounting holes spaced 16 in. apart to match standard wall studs
- Comes in a flat-pack, for easy transport
- Open frame provides passive cooling for equipment



	Warranty	5 Years
Hardware	Adjustable Mounting Rails	No
	Cable Management	No
	Fan(s)	No
	Frame Type	Open Frame
	Industry Standards	EIA-310-D
	Ladder Type	G-Shape
	Mounting Holes	Square
	Number and Type of Included Cage Nuts	48 - M6
	Rack Type	2-Post
	Style	Wall-Mount
	U Height	12U
	U Markings	Yes
	Wallmountable	Yes
Performance	Weight Capacity (Stationary)	198.9 lb [90 kg]
Dhysical	Color	Black
Physical Characteristics	Coloi	DIACK
-	Enclosure Type	Heavy Duty Steel
-		
-	Enclosure Type	Heavy Duty Steel
-	Enclosure Type External Depth	Heavy Duty Steel 12 in [30.5 cm]
-	Enclosure Type External Depth External Height	Heavy Duty Steel 12 in [30.5 cm] 25.2 in [64.1 cm]
-	Enclosure Type External Depth External Height External Width	Heavy Duty Steel 12 in [30.5 cm] 25.2 in [64.1 cm] 19.8 in [50.4 cm]
-	Enclosure Type External Depth External Height External Width Internal Depth	Heavy Duty Steel 12 in [30.5 cm] 25.2 in [64.1 cm] 19.8 in [50.4 cm] 11.5 in [29.2 cm]
-	Enclosure Type External Depth External Height External Width Internal Depth Internal Height	Heavy Duty Steel 12 in [30.5 cm] 25.2 in [64.1 cm] 19.8 in [50.4 cm] 11.5 in [29.2 cm] 21 in [53.4 cm]
-	Enclosure Type External Depth External Height External Width Internal Depth Internal Height Internal Height	Heavy Duty Steel 12 in [30.5 cm] 25.2 in [64.1 cm] 19.8 in [50.4 cm] 11.5 in [29.2 cm] 21 in [53.4 cm] 17.7 in [45 cm]
-	Enclosure Type External Depth External Height External Width Internal Depth Internal Height Internal Width Maximum Mounting Depth	Heavy Duty Steel 12 in [30.5 cm] 25.2 in [64.1 cm] 19.8 in [50.4 cm] 11.5 in [29.2 cm] 21 in [53.4 cm] 17.7 in [45 cm] 12 in [30.5 cm]
-	Enclosure Type External Depth External Height External Width Internal Depth Internal Height Internal Width Maximum Mounting Depth Product Height	Heavy Duty Steel 12 in [30.5 cm] 25.2 in [64.1 cm] 19.8 in [50.4 cm] 11.5 in [29.2 cm] 21 in [53.4 cm] 17.7 in [45 cm] 12 in [30.5 cm] 25.2 in [64.1 cm]
-	Enclosure Type External Depth External Height External Width Internal Depth Internal Height Internal Width Maximum Mounting Depth Product Height Product Length	Heavy Duty Steel 12 in [30.5 cm] 25.2 in [64.1 cm] 19.8 in [50.4 cm] 11.5 in [29.2 cm] 21 in [53.4 cm] 17.7 in [45 cm] 12 in [30.5 cm] 25.2 in [64.1 cm] 12 in [30.5 cm]
-	Enclosure Type External Depth External Height External Width Internal Depth Internal Height Internal Width Maximum Mounting Depth Product Height Product Length Product Weight	Heavy Duty Steel 12 in [30.5 cm] 25.2 in [64.1 cm] 19.8 in [50.4 cm] 11.5 in [29.2 cm] 21 in [53.4 cm] 17.7 in [45 cm] 12 in [30.5 cm] 25.2 in [64.1 cm] 12 in [30.5 cm] 19.1 lb [8.7 kg]



- 48 M6 cage nuts
- 48 washers
- 16 assembly screws
- 2 vertical rails
- 2 horizontal brackets
- 1 instruction manual

Product appearance and specifications are subject to change without notice.