



# HP Sales Central

## HP ScanJet Enterprise Flow 5000 s5 (6FW09A)

Active as of 1/04/2020

### Detailed Specifications

---

**Accessories**

HP SJ 5000 s4/7000 s3 Roller Replacement Kit (L2756A : 100,000 sheets); HP 5-pack Carrier Sheet Kit (8PA50A); 10 Pack Cleaning Cloth Kit (C9943B)

**Acoustic power emissions (active, printing)**

65 (dB), 6.5 (B)

**Automatic document feeder capacity**

Standard, 80 sheets

**Automatic document feeder scan speed**

Up to 65ppm/130 ipm

**Automatic document feeder scan speed**

Up to 65ppm/130 ipm

**Bit depth**

24-bit (external), 48-bit (internal)

**Cable included**

Power cord; power adapter; USB cable

**Code name**

Chestnut

**Color scanning**

Yes

**Compatible Operating Systems**

Microsoft® Windows® (10, 8.1, 7, XP: 32-bit and 64-bit, 2008 R2, 2012 R2, 2016, 2019); MacOS (Catalina 10.15, Mojave 10.14, High Sierra 10.13); Linux (Ubuntu, Fedora, Debian, RHEL, Linux Mint, Open Suse, Manjaro)

**Connectivity, standard**

USB 3.0

**Control panel**

2-line 16 character per line LCD display, Simplex button, Duplex button, Cancel button, Power button with a LED, Up button, Down button and Tool button

**Copyright notice**

The product could differ from the images shown. © 2014 Hewlett-Packard Development Company, L.P. The Information contained herein is subject to change without notice. Warranties for HP products and services are set out in the express warranty statements accompanying such products and services. In addition, our products and services come with guarantees that cannot be excluded under the New Zealand Consumer Guarantees Act. Subject to the foregoing, nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

**Count of cartons per pallet layer**

12

**Count of layers in pallet**

6

**Country of origin**

Made in China

**Datasheet photo 1**

AHID/53f1f3380ce1c4f2f6bccbeae93213a53f392275

**Datasheet publication number**

4AA7-6730EEP

**Digital sending standard features**

Scan to PC, Scan to USB Drive

**Display**

2-line 16 character per line LCD display

**Duplex ADF scanning**

Yes

**Duty cycle (daily)**

Recommended daily duty cycle: 7500 pages

**Electromagnetic compatibility**

CISPR 22:2008 & CISPR 32: 2012/ EN 55032:2012 - Class B, EN 61000-3-2: 2014, EN 61000-3-3: 2013, EN 55024: 2010, FCC Title 47 CFR, Part 15 Class B / ICES-003, Issue 6, GB9254-2008, GB17625.1-2012

**Energy efficiency**

CECP; ENERGY STAR® 3.0 certified; EPEAT® Silver

**Energy efficiency compliance footnote**

EPEAT® registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country.

**Energy efficiency compliance footnote number**

[2]

**Energy star certified**

Yes

**Environmental**

RoHS-compliant

**Image legal disclaimer**

Product image may differ from actual product

**Legal disclaimer**

ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint and the AirPrint logo are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group.

**Levels of grayscale**

256

**Light source (scanning)**

LED

**Mac compatible**

Yes

**Maximum dimensions (W x D x H)**

12.2 x 17.7 x 12.6 in

**Maximum dimensions (W x D x H)**

310 x 448 x 319 mm

**Media size (ADF)**

U.S.-Letter: 215.9 x 279.4 mm (8.5 x 11 in); U.S.-Legal: 215.9 x 355.6 mm (8.5 x 14 in); U.S.-Executive: 184.2 x 266.7 mm (7.25 x 10.5 in); ISO A4: 210 x 297 mm (8.3 x 11.7 in); JIS B5: 182 x 257 mm (7.2 x 10.1 in); ISO B5: 176 x 250 mm (7.0 x 9.9 in); ISO A5: 148 x 210 mm (5.8 x 8.3 in); ISO A6: 105 x 148 mm (5.8 x 4.1 in); ISO A7: 74 x 104 mm (2.9 x 4.1 in); ISO A8: 52 x 74 mm (2.0 x 2.9 in); Custom: 5.08 x 7.36 cm to 21.6 x 309.9 cm (2.0 x 2.9 in to 8.5 x 122 in)

**Media types**

Cut Sheet Paper, Printed Paper (Laser and ink), Pre-Punched Paper, Bank Checks, Business Cards, Freight Bills, Carbonless forms, Plastic Carrier sheets for easily damaged documents, Previously stapled media with staple removed, Plastic cards (up to 1.24 mm)

**Media weights, supported ADF**

11.4 to 93.3 lb

**Media weights, supported ADF**

43 to 350 g/m<sup>2</sup>

**Memory**

512 MB

**Minimum dimensions (W x D x H)**

12.2 x 7.8 x 7.5 in

**Minimum dimensions (W x D x H)**

310 x 198 x 190 mm

**Minimum System Requirements**

macOS Catalina 10.15, macOS Mojave 10.14, macOS High Sierra 10.13, Microsoft® Windows® 10, 8.1, 7, XP: 32-bit and 64-bit, 2008 R2, 2012 R2, 2016, 2019, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Microsoft® Internet Explorer

**Minimum System Requirements for Macintosh**

macOS Catalina 10.15, macOS Mojave 10.14, macOS High Sierra 10.13; 1 GB HD; Internet required; USB

**Multifeed detection**

Yes

**Operating humidity range**

15 to 80% RH

**Operating temperature range**

10 to 35°C

**Operating temperature range**

50 to 95°F

**Output resolution dpi settings**

75; 150; 200; 240; 300; 400; 500; 600; 1200 ppi

**Package dimensions (W x D x H)**

15.6 x 9.76 x 11.9 in

**Package dimensions (W x D x H)**

397 x 248 x 303 mm

**Package weight**

12.3 lb

**Package weight**

5.6 kg

**Pallet dimensions**

47.2 x 39.4 x 77.6 in

**Pallet dimensions (W x D x H)**

1200 x 1000 x 1972 mm

**Pallet weight**

426 kg

**Pallet weight**

939 lb

**Photo (product photo, jpg, 70x100)**

Printing and Digital Imaging/L1957A\_70x100.jpg

**Power**

Input Voltage range: 90 - 264 VAC, Rated Frequency: 50 - 60HZ, Worldwide use

**Power consumption**

4.1 watts (ready), 38 Watts (scanning), 1.3 watts (sleep), 0.1 watts (off), 0.1 watts (auto-off)

**Power consumption footnote number**

[1]

**Power consumption Note**

Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.

**Power supply type**

External power adapter

**Processor speed**

ARM-1176 666 MHz

**Product long name specifications**

HP ScanJet Enterprise Flow 5000 s5 Scanner; Scan speed 65 ppm/130 ipm (@300 ppi BWGC); Max Resolution: ADF 600 x 600 ppi optical, ADF 1200 x 1200 ppi software; Up to 7,500 pages per daily duty cycle; 2-Lines LCD display + Buttons

**Quantity per pallet**

72

**Recommended operating humidity range**

30% to 70% relative humidity (RH)

**Recommended operating temperature range**

17.5 to 25°C

**Recommended operating temperature range**

63.5 to 77°F

**RMN number**

SHNGD-1604

**Safety**

IEC 60950-1:2005 +A1:2009+A2:2013/EN60950-1:2006 +A11:2009 +A1:2010+A12:2011+A2:2013; IEC 62479:2010 / EN 62479:2010; IEC 62471:2006/ EN62471:2008; GB4943-2011

**Scan file format**

For text & images: PDF, PDF/A, Encrypted PDF, JPEG, PNG, BMP, TIFF, Word, Excel, PowerPoint, Text (.txt), Rich Text (.rtf) and Searchable PDF

**Scan input modes**

Two scan modes (simplex/duplex) with convenient 2x16 character LCD on front-panel for HP scan in Win OS, HP Easy Scan/ICA in Mac OS and third parties applications via TWAIN, ISIS and WIA

**Scan resolution, hardware**

600 x 600 dpi

**Scan resolution, optical**

Up to 600 dpi

**Scan size (ADF), maximum**

216 x 3100 mm

**Scan size (ADF), maximum**

8.5 x 122 in

**Scan size (ADF), minimum**

2 x 2 in

**Scan size (ADF), minimum**

50.8 x 50.8 mm

**Scan speed footnote**

Sheet feed speeds: (All resolutions up to and including 300 ppi) Simplex 65 A-4 pages per minute Duplex 130 A-4 images per minute

**Scan speed footnote number**

[3]

**Scan technology**

CMOS CIS (Contact Image Sensor)

**Scanner advanced features**

Auto exposure, Auto threshold, Auto detect color, Background smooth/removal, Auto detect size, Straighten content, Enhance content, Multi-streaming, Auto feed, Multi-feed detection sensor, Advanced multi-feed detection, Auto orient, Multi-color dropout, Channel color dropout, Edge erase, Delete blank page, Merge pages, Hole fill, Digital stamps, Metadata capture, PDF permissions, PDF digital signatures, Document separation (Blank page, Barcode, Zonal barcode, Zonal OCR)

**Scanner type**

Sheetfed

**Scanning options (ADF)**

Single-pass duplex

**Security management**

Power button to on/off device

**Services**

HP 1 year Post Warranty Next Business Day Exchange Service

**Services**

HP 1 year Post Warranty Next Business Day Onsite Exchange Service

**Services**

HP 1 year Post Warranty Return to Depot Service

**Services**

HP 1 year Post Warranty Standard Exchange Service

**Services**

HP 3 year Next Business Day Exchange Service

**Services**

HP 3 year Next Business Day Onsite Exchange Service

**Services**

HP 3 year Return to Depot Service

**Services**

HP 3 year Standard Exchange Service

**Services**

HP 4 year Next Business Day Exchange Service

**Services**

HP 4 year Next Business Day Onsite Exchange Service

**Services**

HP 5 year Next Business Day Exchange Service

**Services**

HP 5 year Next Business Day Onsite Exchange Service

**Services (Care Pack)**

UK001E - HP 3 year Standard Exchange ScanJet 5xxx Service; UH370E - HP 3 year Next Business Day Exchange ScanJet 5xxx Service; UOMF6E - HP 4 year Next Business Day Exchange ScanJet 5xxx Service; UOMF5E - HP 5 year Next Business Day Exchange ScanJet 5xxx Service; UH372E - HP 3 year Next Business Day Onsite Exchange ScanJet 5xxx Service; UOMF7E - HP 4 year Next Business Day Onsite Exchange ScanJet 5xxx Service; UOQN0E - HP 5 year Next Business Day Onsite Exchange ScanJet 5xxx Service; UH369E - HP 3 year Return to Depot ScanJet 5xxx Service; UK513PE - HP 1 year Post Warranty Standard Exchange ScanJet 5xxx Service; UH373PE - HP 1 year Post Warranty Next Business Day Exchange ScanJet 5xxx Service; UH374PE - HP 1 year Post Warranty Next Business Day Onsite Exchange ScanJet 5xxx Service; UD3B7PE - HP 1 year Post Warranty Return to Depot ScanJet 5xxx Service; U9JT2E - HP Installation Service wireless/network Workgroup Scanner & Printer

**Services description headline 01**

UH369E

**Services description headline 02**

UH370E

**Services description headline 03**

UH372E

**Services description headline 04**

UOMF5E

**Services description headline 05**

UOMF6E

**Services description headline 06**

UOMF7E

**Services description headline 07**

UOQN0E

**Services description headline 08**

UK001E

**Services description headline 09**

UH373PE

**Services description headline 10**

UH374PE

**Services description headline 11**

UK513PE

**Services description headline 12**

UD3B7PE

**Software included**

Windows: HP WIA scan driver, HP TWAIN scan driver (32-bit and 64-bit), HP Scan Premium, HP Scanner Tools Utility, I.R.I.S Readiris Pro, I.R.I.S Cardiris, OpenText ISIS

**Storage temperature range**

-40 to 140°F

**Storage temperature range**

-40 to 60°C

**Tariff numbers**

8471608000

**Tech spec footnote**

[1] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.

**Tech spec footnote**

[2] EPEAT® registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country.

**Tech spec footnote**

[3] Sheet feed speeds: (All resolutions up to and including 300 ppi) Simplex 65 A-4 pages per minute Duplex 130 A-4 images per minute

**Technology logo, print 1**

Logo\_Win10\_21 wyh

**Technology logo, print 2**

Publication photos/One-pass duplex scanning\_wyh rgb.jpg

**Technology logo, print 3**

Publication photos/HP EveryPage, ultrasonic sensor wyh rgb.jpg

**Technology logo, print 4**

Publication photos/HP Scan Premium wyh rgb.jpg

**Twain version**

Windows: 32-bit and 64-bit TWAIN version 2.1; Mac: n/a

**UPC number**

(201) 193905029860; (AB2) 193905029921; (ABG) 193905029938; (ABT) 193905029884; (ABY) 193905029891; (AC4) 193905029976; (AC8) 193905029983; (ACJ) 193905029945; (ACQ) 193905029914; (AKV) 193905029990; (B13) 193905252657; (B19) 193905029877; (BAZ) 193905029907; (BBU) 193905029952; (BGJ) 193905029969

**Warranty**

One-year bench limited warranty whole unit replacement, phone and Web support included. Warranty may vary by country as required by law. Go to [hp.com/support](http://hp.com/support) to learn about HP world-class service and support options in your region.

**Weight**

3.8 kg

**Weight**

8.4 lb

**What's in the box**

Power cord; Power Adapter; USB Cable; Scanner Engine; Flyers; Install Guide

*additional warranty. In addition, our products and services come with guarantees that cannot be excluded under the New Zealand Consumer Guarantees Act. HP shall not be liable for technical or editorial errors or omissions contained herein.*