

HP LaserJet Enterprise M612 series



This HP LaserJet with JetIntelligence combines performance, energy efficiency, and security.¹

This HP LaserJet Printer with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them—all while protecting your network from attacks with the industry's deepest security.¹



HP LaserJet Enterprise M612dn

The world's most secure printing¹

- With HP Sure Start, operating code is automatically checked at startup and repairs itself if compromised.
- Run-time intrusion detection continually monitors to detect and stop attacks, then automatically reboots.
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.²
- Give workgroups what they need to succeed. Easily choose and deploy hundreds of HP and third-party solutions.

High-speed performance meets energy efficiency

- Speed through tasks and save paper. Print two-sided documents nearly as fast as one-sided.
- This printer wakes up and prints your first page fast—in as quickly as 7.9 seconds.⁴
- This printer uses low amounts of energy thanks to its innovative design and toner technology.
- Easily manage print jobs directly at the printer—just tap and swipe the 4.3-inch (10.9 cm) color touchscreen.


Performance and protection you can count on

- Produce sharp text, bold blacks, and crisp graphics with precision black toner.
- Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Spend less time replacing toner, and more on business. Choose high-yield toner cartridges.⁵



HP LaserJet Enterprise M612x

Product walkaround



Series at a glance



M612dn



M612x

	M612dn	M612x
Part number	7PS86A	7PS87A
Print speeds (A4) ²	Up to 71 ppm	Up to 71 ppm
Control panel	10.9 cm (4.3-inch) colour touchscreen	10.9 cm (4.3-inch) colour touchscreen
Automatic two-sided printing	✓	✓
Hardware Integration Pocket ¹	✓	✓
100-sheet tray 1, 550-sheet tray 2	✓	✓
550-sheet paper feeder ³	Optional (up to four)	✓ (plus up to three optional)
2,100-sheet paper feeder ³	Optional	Optional
Envelope feeder	Optional (up to two)	Optional (up to two)
Printer stand	Optional	Optional
5-bin stapler/stacker/mailbox with job offset	Optional	Optional
Direct mobile printing	Optional wireless direct ⁴ /NFC ⁵	Embedded Wi-Fi Direct ⁴ /Bluetooth Low Energy ⁷
Wireless networking	Optional ⁶	Optional ⁶
HP High-Performance Secure Hard Disk	Optional	Optional

¹ Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.

² Measured using ISO/IEC 24734; excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

³ All models come standard with the 100-sheet multipurpose tray and 550-sheet tray 2. The HP LaserJet Enterprise M611x and M612x models come with one additional 550-sheet paper feeder standard, and can add up to three additional optional 550-sheet paper feeders and the optional 2,100-sheet paper feeder. The M610dn, M611dn, and M612dn models can add up to four additional optional 550-sheet paper feeders and the optional 2,100-sheet paper feeder.

⁴ Wi-Fi Direct printing is embedded in the HP LaserJet Enterprise M611x and M612x models. All other models can add wireless direct with the purchase of the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device needs to be connected directly to the signal of a Wi-Fi Direct[®] supported MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. For details, see hp.com/go/mobileprinting. Wi-Fi Direct is a registered trademark of Wi-Fi Alliance.

⁵ Touch-to-print capability is optional for all models (except M611x and M612x) with purchase of the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see hp.com/go/businessmobileprinting.

⁶ All models can add wireless networking with the purchase of the optional HP Jetdirect 2900nw Print Server. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections.

⁷ Bluetooth Low Energy is standard only on the HP LaserJet Enterprise M611x and M612x models, and it cannot be added to other models. Bluetooth is a trademark owned by its proprietor and used by HP Inc. under license.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs.

Choose from:

Optimized Care (optimum performance and stability):

4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Standard Care (high level of uptime):

Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Basic Care (minimum recommended support):

Next Business Day Onsite Support

4 hour Onsite Support:

Onsite support within four hours after a service call received within the coverage window

Next Business Day Onsite Support:

Onsite service the next business day after the service call is received

Maintenance Kit Replacement Service:

Onsite replacement of your printer's maintenance kit including parts, materials, and labor

Installation with Network Configuration Service:

Assembly, network configuration, and basic administrator familiarization. For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices



Windows 10



HP Care Pack

Top features

Only HP Enterprise printers repair themselves from attacks in real time while offering outstanding manageability. Automatically monitor threats, detect intrusions, and validate operating software while centrally managing your fleet with ease.¹

With speeds up to 75 pages per minute,³ fast first page out, and a variety of paper-handling options, you get confidence that your employees can speed through their tasks without interruption.

Help protect your printer using Original HP Toner cartridges with JetIntelligence.

Product

7PS86A	HP LaserJet Enterprise M612dn
7PS87A	HP LaserJet Enterprise M612x

Accessories

3JN69A	HP Jetdirect 3100w BLE/NFC/Wireless Accessory
4QL32A	HP Legic Secure USB Reader
B5L28A	HP Internal USB Ports
B5L29A	HP High-Performance Secure Hard Disk
G6W84A	HP 1 GB 90-pin DDR3 DIMM
LOH17A	HP LaserJet 550-sheet Paper Tray
LOH18A	HP LaserJet 2100 Sheet Paper Tray
LOH19A	HP LaserJet Printer Stand
LOH20A	HP LaserJet Stapler/Stacker/Mailbox
LOH21A	HP LaserJet Envelope Feeder
LOH22A	HP LaserJet Extension Tray Cover
X3D03A	HP Universal USB Proximity Card Reader
Y7C05A	HP HIP2 Keystroke Reader

Supplies

J8J96A	HP Staple Cartridge Refill (5,000 staples)
LOH24A	HP LaserJet 110v Maintenance Kit (225,000 pages)
LOH25A	HP LaserJet 220v Maintenance Kit (225,000 pages)
W1470A	HP 147A Black Original LaserJet Toner Cartridge (10,500 pages)
W1470X	HP 147X High Yield Black Original LaserJet Toner Cartridge (25,200 pages)
W1470Y	HP 147Y Extra High Yield Black Original LaserJet Toner Cartridge (42,000 pages)

HP Care Packs

U9M20E	HP 3 Year Next Business Day HW Support w/Defective Media Retention
U9M21E	HP 4 Year Next Business Day HW Support w/Defective Media Retention
U9M22E	HP 5 Year Next Business Day HW Support w/Defective Media Retention
U9M23E	HP 3 Year 4 Hour 9x5 HW Support W/Defective Media Retention
U9M24E	HP 4 Year 4 Hour 9x5 HW Support W/Defective Media Retention
U9M25E	HP 5 Year 4 Hour 9x5 HW Support W/Defective Media Retention
U9NA5E	HP 3 Year Return for Repair Service
U9NA6E	HP 4 Year Return for Repair Service
U9NA7E	HP 5 Year Return for Repair Service
U9NA8E	HP 3 year Next Business Day Parts Exchange Service
U9NA9E	HP 4 year Next Business Day Parts Exchange Service
U9NB0E	HP 5 year Next Business Day Parts Exchange Service
U9NB4PE	HP 1 Year Post Warranty Next Business Day Hardware Support w/DMR
U9NB5PE	HP 2 Year Post Warranty Next Business Day Hardware Support w/DMR

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

Paper

4WM80A	HP CHP113 Office Paper-2500 sht/A4/210 x 297 mm
4WM81A	HP CHP150 Home and Office Paper-500 sht/A4/210 x 297 mm
4WM82A	HP CHP650 Everyday Paper 75 gsm-500 sht/A4/210 x 297 mm
4WM83A	HP CHP755 Color Choice Paper 200 gsm-250 sht/A4/210 x 297 mm
4WM84A	HP CHP855 Premium Paper 80 gsm-250 sht/A4/210 x 297 mm
4WM85A	HP CHP910 Copy Paper 80 gsm-500 sht/A4/210 x 297 mm

Contact HP via phone: Asia: 65 6253 8500

Solutions

HP Web Jetadmin: hp.com/go/wja

HP Universal Print Driver: hp.com/go/upd

HP Imaging and Printing Security Center: hp.com/go/ipsc

HP LaserJet Enterprise M612 series

Model	HP LaserJet Enterprise M612dn	HP LaserJet Enterprise M612x
Product number	7PS86A	7PS87A
Functions	Print	
Print		
Duplex print options	Automatic (standard)	
Print speed ⁹	Black (A4, normal): Up to 71 ppm; Black (letter, normal): Up to 75 ppm; Black (A4, duplex): Up to 58 ipm; Black (letter, duplex): Up to 58 ipm	
First page out ¹¹	Black (A4, ready): As fast as 5.1 sec; Black (A4, sleep): As fast as 7.9 sec	
Print technology	Laser	
Print resolution	Black (best) Up to 1200 x 1200 dpi; Black (normal) FastRes 1200; Black (fine lines) Up to 1200 x 1200 dpi	
Print resolution technology	Normal FastRes 1200; Fine Lines (1200 x 1200 dpi), Quickveiw (300 x 300 dpi), Economode (600 x 600 dpi)	
Print cartridges number	1 (black)	
Standard print languages	HP PCL 6, HP PCL 5, HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™	
Printer management	HP Printer Assistant, HP Device Toolbox, HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SNMP Proxy Agent, HP WS Pro Proxy Agent, Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator);	
Connectivity		
Standard connectivity	1 Hi-Speed USB 2.0 Device; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket	
Mobile printing capability ⁷	HP ePrint; Apple AirPrint™; Google Cloud Print™; Mopria™ Certified; ROAM optional for easy printing	HP ePrint; Apple AirPrint™; Google Cloud Print™; Mopria™ Certified; Wi-Fi® Direct printing; ROAM capable for easy printing
Wireless capability	Optional, enabled with purchase of a wireless hardware accessory. Single band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3000w NFC/Wireless Accessory J8030A, Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A, Dual band Wireless Station functionality available with HP Jetdirect 2900nw Print Server J8031A	Yes, built-in WiFi with Dual band Wireless Station, Wi-Fi Direct functionality and BLE.
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional).	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); Built-in 802.11a/b/g/n wireless networking (standard)
Memory	Standard: 512 MB; Maximum: 1.5 GB, MAX memory, when 1GB Accessory DIMM is installed	
Processor speed	1.2 GHz	
Duty cycle (monthly) ¹²	Up to 300,000 pages; Recommended monthly page volume ¹³ : 5000 to 30,000	
Paper handling		
Input	100-sheet multipurpose feeder, 550-sheet input feeder, 150-sheet automatic document feeder	
Output	500 sheet output bin	
Media types	Paper (plain, light, bond, recycled, heavy, extra heavy, cardstock, pre-printed, pre-punched, colored, rough, heavy rough), mono transparency, labels, letterhead, envelope, heavy envelope	
Media weight	Tray 1: 60 to 200 g/m ² ; Automatic Duplexer: 60 to 120 g/m ²	
Media Sizes Custom	100-sheet multipurpose Tray 1: 76 x 127 to 216 to 356 mm; 550-sheet input Tray 2: 99 x 148 to 216 x 356 mm; 550-sheet optional feeder: 99 x 148 to 216 x 356 mm; 75-sheet envelope feeder: 90 x 148 to 178 x 254 mm	
Dimensions (w x d x h)	431 x 466 x 380 mm	431 x 466 x 505 mm
Weight	21.6 kg	26.3 kg
What's in the box ²	HP LaserJet Multifunction Printer; HP Black Original LaserJet Toner Cartridge (~10.5K yield); Documentation (Hardware Install Guide, Regulatory Flyer); Power cord.	
Software included	No software solutions are included in the Box, only on http://hp.com , http://123.hp.com ;	
Warranty features	One-year warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region.	
Systems		
Compatible operating systems	Windows Client OS (32/64 bit) - Win10, Win8.1, Win7 Ultimate, Mobile OS -, iOS, Android, Mac-, Apple® macOS Sierra v10.13, Apple® macOS High Sierra v10.14, Apple® macOS Mojave v10.15, Discrete PCL6 Printer Driver -; For more information on the supported operating systems go to http://support.hp.com , Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) - User Guide, Search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers -; For more information on the supported operating systems go to http://support.hp.com , Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) - User Guide, Search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating Systems, For more information on the supported operating systems see www.hp.com/go/upd ;	
Minimum system requirements	PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com ; Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com ;	
Security management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs, ...); Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs	
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts	
Control panel	4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Home button	
Display	4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle)	
Energy efficiency compliance	ENERGY STAR® qualified; Blue Angel; EPEAT® Silver; CECP ¹	ENERGY STAR® qualified; EPEAT® Silver; EPEAT® Gold (#AAZ, #201 options only); CECP; Blue Angel ¹
ENERGY STAR Qualified	Yes	
Power	Power supply type: Built in 115V or 220V Power Supply (Not dual voltage, power supply varies by part number with # Option code identifier). Power supply required: 100V - 127V nominal @ +/-10% (min 90V, max 140V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 6 A; Power consumption⁴: 780 watts (printing), 15.3 watts (ready), 3.1 watts (sleep), < 0.1 watts (Auto Off/Manual On), < 0.1 watts (Manual Off); Typical Electricity Consumption number⁵: ES: 1.093 kWh/week; BA: 2.948 kWh/week	
Acoustics	Acoustic power emissions⁸: 7.1 B(A) ; Acoustic power emissions (ready): Inaudible ; Acoustic pressure emissions bystander (active, printing): 56 dB(A) ; Acoustic pressure emissions bystander (ready): Inaudible	
Environmental ranges	Operating temperature range: 10 to 32.5°C ; Recommended operating temperature: 15 to 27°C ; Operating humidity range: 10 to 80 % RH ; Recommended operating humidity range: 30 to 70 % RH	
Safety approvals and requirements	IEC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); EN 60825-1:2014/IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010/IEC 62479:2010; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 2nd Ed. 2011-12; Compliance with Laser safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 50, Dated June 24, 2007; Other safety approvals as required by individual countries.	
Supported network protocols	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint™, HP ePrint, FTP Print, Google Cloud Print; DISCOVERY: SLIP, Bonjour, Web Services Discovery; IP CONFIG: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPS, Telnet, TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL, Cert Management, Firewall, ACL, 802.1x	

Footnotes

¹ HP's most advanced embedded security features are available on HP Enterprise and HP Managed devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2019 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: <http://www.hp.com/go/PrintersThatProtect>. For more information, visit: <http://www.hp.com/go/PrinterSecurityClaims>

² HP Web Jetadmin is available for download at no additional charge at <http://www.hp.com/go/webjetadmin>

³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

⁴ Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep.

⁵ HP 147X High Yield Black Original LaserJet Toner Cartridges not included; please purchase separately.

⁶ An FCC Class A emissions compliant device meets the less stringent (higher) levels of emissions allowed by the FCC for a product operation in a commercial environment. An FCC class A device cannot be marketed for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment due to the increased risk of interference to radio communications.

Technical specifications disclaimers

¹ EPEAT® registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country.

² Average black declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnabouthsupplies>.

³ With print cartridges

⁴ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

⁵ BA TEC is equal to Best TEC. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star Version 3.0 TEC is not comparable to Energy Star Version 2.0 TEC values or BA TEC values. BA uses Energy Star Version 2.0 TEC. Energy Star value typically based on measurement of 115V device

⁶ Average black declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnabouthsupplies>.

⁷ To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit <http://hp.com/go/roam>

⁸ Acoustic values are subject to change. For current information see <http://www.hp.com/support>. Noise measured during printing mono simplex A4 at 71ppm.

⁹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

¹⁰ Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type.

¹¹ Measured using ISO/IEC 17629. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

¹² Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

¹³ HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

¹⁴ An FCC Class A emissions compliant device meets the less stringent (higher) levels of emissions allowed by the FCC for a product operation in a commercial environment. An FCC class A device cannot be marketed for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment due to the increased risk of interference to radio communications.

To learn more, visit <http://www.hp.com>

© Copyright 2020 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint and the AirPrint logo are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group.

