



HP Sales Central

HP Color LaserJet 1x550/2000-sheet HCI Feeder and Stand (P1B12A)

Active as of 1/05/2017

Detailed Specifications

Accessory type

Input

Additive metric depth

102

Additive metric height

450

Additive metric width

147

Compatibility

HP Color LaserJet Enterprise M652n J7Z98A, HP Color LaserJet Enterprise M652dn J7Z99A, HP Color LaserJet Enterprise M653dn J8A04A, HP Color LaserJet Enterprise M653dh J8A06A, HP Color LaserJet Enterprise MFP M681dh J8A10A, HP Color LaserJet Enterprise Flow MFP M681f J8A12A, HP Color LaserJet Managed E65050dn L3U55A, HP Color LaserJet Managed E65060dn L3U56A, HP Color LaserJet Managed MFP E67550dh L3U66A, HP Color LaserJet Managed Flow MFP E67560z L3U70A

Count of cartons per pallet layer

1

Count of layers in pallet

1

Country of origin

Made in China

Dimension note (imperial)

Without trays and covers; not extended

Electromagnetic compatibility

CISPR 22:2008 (International) - Class A, CISPR 32:2012 (International) - Class A, EN 55032: 2012 (EU) - Class A, EN 61000-3-2: 2014 (EU), EN 61000-3-3: 2013 (EU), EN 55024: 2010 (EU), EMC Directive 2014/30/EU, FCC CFR 47 Part 15 Class A / ICES-003, Issue 6 Class A (US/Canada). Other EMC approvals as required by individual countries

Image legal disclaimer

Product image may differ from actual product

Maximum input capacity (sheets)

Up to 2,550 sheets

Media sizes, custom

Tray 3: 101 x 148 to 216 x 356 mm; Tray 4 HCI: 210 x 297 mm; 215.9 x 279.4 mm; 215.9 x 356 mm

Media sizes, custom

Tray 3: 3.97 x 5.83 to 8.5 x 14 in; Tray 4 HCI: 8.27 x 11.7 in; 8.5 x 11 in; 8.5 x 14 in

Media types

Tray 3: Paper (plain, glossy paper, labels); Tray 4: High-Capacity Input: Plain paper

Metric depth

657

Metric height

450

Metric width

657

Minimum dimensions (W x D x H)

25.87 x 25.87 x 17.72 in

Minimum dimensions (W x D x H)

657 x 657 x 450 mm

Non-Operating Humidity Range

35 to 85% RH

Operating humidity range

10 to 80% RH

Operating temperature range

15 to 30°C

Operating temperature range

59 to 86°F

Orderable product number

P1B12A

Package dimensions (W x D x H)

31.3 x 29.3 x 24.2 in

Package dimensions (W x D x H)

794 x 745 x 615 mm

Package weight

30.4 kg

Package weight

67 lb

Pallet dimensions

32.5 x 31.5 x 78.5 in

Pallet dimensions (W x D x H)

825 x 800 x 1995 mm

Pallet weight

111.7 kg

Pallet weight

246.2 lb

Product long name specifications

HP Color LaserJet 1x550/2000-Sheet HCI Feeder and Stand

Quantity per pallet

3

Safety

IEC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); Low Voltage Directive 2014/35/EU with CE Mark (Europe). Other safety approvals as required by individual countries

Storage temperature range

0 to 35°C

Storage temperature range

32 to 95°F

Tariff numbers

8443992550 (AM-Base-HTS); 8443999000 (EU-Base-HTS); 84439930 (AP-Base-HTS)

Tray capacity

2550

UNSPSC code

44101705

UPC number

889894959324

Warranty

90 Day HP Dealer Exchange; Warranty and support options vary by product, country and local legal requirements. Go to hp.com/support to learn about HP award winning service and support options in your region.

Warranty

90 Days, Return to HP - Parts Only

Weight

24.3 kg

Weight

53.6 lb

What's in the box

HP Color LaserJet 1x550/2000-sheet Feeder and Stand ; Documentation (Hardware Install Guide)

© Copyright 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing shall be construed as constituting an additional warranty. In addition, our products and services come with guarantees that cannot be excluded under the Australian Consumer Law. HP shall not be liable for technical or editorial errors or omissions contained herein.