

## 3.3 ft. (1 m) USB to Lightning Cable - Apple MFi Certified - Black

Product ID: RUSBLTMM1MB




This USB to Lightning cable withstands the daily demands of charging and syncing your mobile devices. Tested to endure strenuous wear and tear and winter and summer in-car use, the rugged cable is a must-have for both business and consumer applications.

### Built for Daily Use

The durable Lightning cable has aramid reinforcement that shelters it from the stress of frequent bends and twists. This also lets the cable flex without over-stretching, and strengthens the core of the cable.

### Cable Key Features

- 1. Aramid fiber adds strength and durability to the cable
- 2. Insulated conductors reduce friction, provide more flexibility
- 3. EMI (electromagnetic interference) protection with aluminum-mylar foil with braided shielding
- 4. TPE (thermoplastic elastomer) cable jacket is softer and more flexible than a standard PVC cable and environmentally friendly



### Flexible Strain Relief


The cable is constructed to prevent the connector from separating from the jacket. The extra-long strain relief molding is tested to withstand over 10,000+ bend cycles at a 180° angle. Plus, the improved inner molding resists cracking and reduces cable damage.

### Connector Key Features

- 1. Lightning connector provides 12W for charging your iOS devices
- 2. Metal shield protects circuit board from EMI and reinforces the connection point
- 3. Strain relief tested to tolerate over 10,000+ bend cycles at a 180° angle

RUSBLTMM1MB is an Apple MFi certified Lightning cable backed by a StarTech.com 2-year warranty.

*Note: DuPont™ and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.*



### Certifications, Reports and Compatibility



### Applications

- Charge and sync your Lightning mobile devices

### Features

- Charge your devices using an MFi certified Lightning cable built to withstand your daily routine
- Protected against the stress of frequent twists, this durable Lightning cable is reinforced with Kevlar® aramid fiber
- Extended strain relief tested to tolerate over 10,000+ bend cycles at 180° angle
- Provide flexible connections with this 1-meter Lightning to USB cable with a soft TPE jacket
- Shielded against EMI, this heavy-duty Lightning cable has a metal guard protecting the circuit board

<b>Hardware</b>	Warranty	2 Years
	Cable Jacket Type	TPE - Thermoplastic Elastomers
	Cable Shield Type	Aluminum-Mylar Foil with Braid
	Connector Plating	Nickel
<b>Performance</b>	Type and Rate	USB 2.0 - 480 Mbit/s
<b>Connector(s)</b>	Connector A	1 - USB Type-A (4 pin) USB 2.0 Male
	Connector B	1 - Apple Lightning Connector (8-pin) Male
<b>Physical Characteristics</b>	Cable Length	3.3 ft [1 m]
	Color	Black
	Connector Style	Straight
	Product Height	0.4 in [10 mm]
	Product Length	3.3 ft [1 m]
	Product Weight	0.5 oz [15 g]
	Product Width	0.5 in [12 mm]
Wire Gauge	22/32 AWG	
<b>Packaging Information</b>	Package Height	0.4 in [10 mm]
	Package Length	4.9 in [125 mm]
	Package Width	3.5 in [90 mm]
	Shipping (Package) Weight	0.5 oz [15 g]
<b>What's in the Box</b>	Included in Package	1 - USB to Lightning cable

Product appearance and specifications are subject to change without notice.